

SECTION XV

BASE METALS AND ARTICLES OF BASE METAL

Notes :

1. This Section does not cover :
 - (a) Prepared paints, inks or other products with a basis of metallic flakes or powder (headings 3207 to 3210, 3212, 3213 or 3215);
 - (b) Ferro-cerium or other pyrophoric alloys (heading 3606);
 - (c) Headgear or parts thereof of heading 6506 or 6507;
 - (d) Umbrella frames or other articles of heading 6603;
 - (e) Goods of Chapter 71 (for example, precious metal alloys, base metal clad with precious metal, imitation jewellery);
 - (f) Articles of Section XVI (machinery, mechanical appliances and electrical goods);
 - (g) Assembled railway or tramway track (heading 8608) or other articles of Section XVII (vehicles, ships and boats, aircraft);
 - (h) Instruments or apparatus of Section XVIII, including clock or watch springs;
 - (i) Lead shot prepared for ammunition (heading 9306) or other articles of Section XIX (arms and ammunition);
 - (k) Articles of Chapter 94 (for example, furniture, mattress supports, lamps and lighting fittings, illuminated signs, prefabricated buildings);
 - (l) Articles of Chapter 95 (for example, toys, games, sports requisites);
 - (m) Hand sieves, buttons, pens, pencil-holders, pen nibs or other articles of Chapter 96 (miscellaneous manufactured articles); or
 - (n) Articles of Chapter 97 (for example, works of art).

2. Throughout this Schedule the expression “parts of general use” means :
 - (a) Articles of heading 7307, 7312, 7315, 7317 or 7318 and similar articles of other base metal;
 - (b) Springs and leaves for springs, of base metal, other than clock or watch springs (heading 9114); and
 - (c) Articles of headings 8301, 8302, 8308, 8310 and frames and mirrors, of base metal, of heading 8306.

In Chapters 73 to 76 and 78 to 82 (but not in heading 7315) references to parts of goods do not include references to parts of general use as defined above.

Subject to the preceding paragraph and to Note 1 to Chapter 83, the articles of Chapter 82 or 83 are excluded from Chapters 72 to 76 and 78 to 81.

3. Throughout this Schedule, the expression “base metals” means : iron and steel, copper, nickel, aluminium, lead, zinc, tin, tungsten (wolfram), molybdenum, tantalum, magnesium, cobalt, bismuth, cadmium, titanium, zirconium, antimony, manganese, beryllium, chromium, germanium, vanadium, gallium, hafnium, indium, niobium (columbium), rhenium and thallium.
4. Throughout this Schedule, the term “cermets” means products containing a microscopic heterogenous combination of a metallic component and a ceramic component. The term “cermets” includes sintered metal carbides (metal carbides sintered with a metal).
5. Classification of alloys (other than ferro-alloys and master alloys as defined in Chapters 72 and 74) :
 - (a) An alloy of base metals is to be classified as an alloy of the metal which predominates by weight over each of the other metals;
 - (b) An alloy composed of base metals of this Section and of elements not falling within this Section is to be treated as an alloy of base metals of this Section if the total weight of such metals equals or exceeds the total weight of the other elements present;
 - (c) In this Section the term “alloys” includes sintered mixtures of metal powders, heterogeneous intimate mixtures obtained by melting (other than cermets) and intermetallic compounds.
6. Unless the context otherwise requires, any reference in this Schedule to a base metal includes a reference to alloys which, by virtue of Note 5 above, are to be classified as alloys of that metal.
7. Classification of composite articles :

Except where the headings otherwise require, articles of base metal (including articles of mixed materials treated as articles of base metal under the Interpretive Rules) containing two or more base metals are to be treated as articles of the base metal predominating by weight over each of the other metals. For this purpose :

 - (a) Iron and steel, or different kinds of iron or steel, are regarded as one and the same metal;
 - (b) An alloy is regarded as being entirely composed of that metal as an alloy of which, by virtue of Note 5, it is classified; and
 - (c) A cermet of heading 8113 is regarded as a single base metal.
8. In this Section, the following expressions have the meanings hereby assigned to them :

- (a) Waste and scrap
Metal waste and scrap from the manufacture or mechanical working of metals, and metal goods definitely not usable as such because of breakage, cutting-up, wear or other reasons.
- (b) Powders
Products of which 90% or more by weight passes through a sieve having a mesh aperture of 1 mm.

CHAPTER 72

Iron and Steel

NOTES:

1. In this Chapter and, in the case of Notes (d), (e) and (f) throughout this Schedule, the following expressions have the meanings hereby assigned to them:

- (a) Pig Iron

Iron-carbon alloys not usefully malleable, containing more than 2% by weight of carbon and which may contain by weight one or more other elements within the following limits:

- not more than 10% of chromium
- not more than 6% of manganese
- not more than 3% of phosphorus
- not more than 8% of silicon
- a total of not more than 10% of other elements

- (b) Spiegeleisen

Iron-carbon alloys containing by weight more than 6% but not more than 30% of manganese and otherwise conforming to the specification at (a) above.

(c) Ferro-alloys

Alloys in pigs, blocks, lumps or similar primary forms, in forms obtained by continuous casting and also in granular or powder forms, whether or not agglomerated, commonly used as an additive in the manufacture of other alloys or as de-oxidants, de-sulphurising agents or for similar uses in ferrous metallurgy and generally not usefully malleable, containing by weight 4% or more of the element iron and one or more of the following:

- more than 10% of chromium
- more than 30% of manganese
- more than 3% of phosphorus
- more than 8% of silicon
- a total of more than 10% of other elements, excluding carbon, subject to a maximum content of 10% in the case of copper.

(d) Steel

Ferrous materials other than those of heading 7203 which (with the exception of certain types produced in the form of castings) are usefully malleable and which contain by weight 2% or less of carbon. However, chromium steels may contain higher proportions of carbon.

(e) Stainless Steel

Alloy steels containing, by weight, 1.2% or less of carbon and 10.5% or more of chromium, with or without other elements.

(f) Other Alloy Steel

Steels not complying with the definition of stainless steel and containing by weight one or more of the following elements in the proportion shown:

- 0.3% or more of aluminum
- 0.0008% or more of boron
- 0.3% or more of chromium
- 0.3% or more of cobalt
- 0.4% or more of copper
- 0.4% or more of lead
- 1.65% or more of manganese
- 0.08% or more of molybdenum
- 0.3% or more of nickel
- 0.06% or more of niobium
- 0.6% or more of silicon
- 0.05% or more of titanium
- 0.3% or more of tungsten (wolfram)
- 0.1% or more of vanadium
- 0.05% or more of zirconium
- 0.1% or more of other elements (except sulphur, phosphorus, carbon and nitrogen), taken separately.

(g) Remelting Scrap Ingots of Iron and Steel

Products roughly cast in the form of ingots without feeder-heads or hot tops, or of pigs, having obvious surface faults and not complying with the chemical composition of pig iron, spiegeleisen or Ferro-alloys.

(h) Granules

Products of which less than 90% by weight passes through a sieve with a mesh aperture of 1 mm and of which 90% or more by weight passes through a sieve with a mesh aperture of 5 mm.

(ij) Semi-finished Products

Continuous cast products of solid section, whether or not subjected to primary hot-rolling; and
Other products of solid sections, which have not been further worked than subjected to primary hot-rolling or roughly shaped by forging, including blanks for angles, shapes or sections.

These products are not presented in coils

(k) Flat-rolled Products

Rolled products of solid rectangular (other than square) cross-section, which do not conform to the definition at (ij) above in the form of:

- coils of successively superimposed layers, or
- straight lengths, which if of a thickness less than 4.75 mm are of width measuring at least ten times the thickness or if of a thickness of 4.75 mm or more are of a width which exceeds 150 mm and measures at least twice the thickness.

Flat-rolled products include those with patterns in relief derived directly from rolling (for example, grooves, ribs, chequers, tears, buttons, and lozenges) and those, which have been perforated, corrugated or polished, provided that they do not thereby assume the

character of articles or products of other headings.

Flat-rolled products of a shape other than rectangular or square, of any size, are to be classified as products of a width of 600 mm or more, provided that they do not assume the character of articles or products of other headings.

(l) Bars and Rods, Hot-rolled, in irregularly wound coils

Hot-rolled products in irregularly wound coils, which have a solid cross-section in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles, or other convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). These products may have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods).

(m) Other Bars and Rods

Products which do not conform to any of the definitions at (ij), (k) or (l) above or to the definition of wire, which have a uniform solid cross-section along their whole length in the shape of circles, segments of circles, ovals, rectangles (including squares), triangles or other convex polygons (including "flattened circles" and "modified

rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). The products may:

- have indentations, ribs, grooves or other deformations produced during the rolling process (reinforcing bars and rods):
- be twisted after rolling.

(n) Angles, Shapes and Sections

Products having a uniform solid cross-section along their whole length which do not conform to any of the definitions at (ij), (k), (l) or (m) above or to the definition of wire.

Chapter 72 does not include products of heading 7301 or 7302.

(o) Wire

Cold-formed products in coils, or any uniform solid cross-section along their whole length, which do not conform to the definition of flat-rolled products.

(p) Hollow Drill Bars and Rods

Hollow bars and rods of any cross-section, suitable for drills, of which the greatest external dimension of the cross-section exceeds 15 mm but does not exceed 52 mm, and of which the greatest internal dimension does not exceed one half of the greatest external dimension. Hollow bars and rods of iron or steel not conforming to this definition are to be classified in heading 7304.

2. Ferrous metals clad with another ferrous metal are to be classified as products of the ferrous metal predominating by weight.

3. Iron or steel products obtained by electrolytic deposition, by pressure casting or by sintering are to be classified, according to their form, their composition and their appearance, in the headings of this Chapter appropriate to similar hot-rolled products.

SUB-HEADING NOTES:

1. In this Chapter the following expressions have the meanings hereby assigned to them:

(a) Alloy Pig Iron

Pig iron containing, by weight, one or more of the following elements in the specified proportions:

- more than 0.2% of chromium
- more than 0.3% of copper
- more than 0.3% of nickel
- more than 0.1% of any of the following elements:
aluminium, molybdenum, titanium, tungsten
(wolfram) vanadium.

(b) Non-alloy free-cutting Steel

Non-alloy steel containing, by weight, one or more of the following elements in the specified proportions:

- 0.08% or more of sulphur
- 0.1% or more of lead
- more than 0.05% of selenium
- more than 0.01% of tellurium

- more than 0.05% of bismuth.

(c) Silicon-electrical Steel

Alloy steels containing by weight at least 0.6% but not more than 6% of silicon and not more than 0.08% of carbon. They may also contain by weight not more than 1% of aluminium but no other element in a proportion that would give the steel the characteristics of another alloy steel.

(d) High Speed Steel

Alloy steels containing, with or without other elements, at least two of the three elements molybdenum, tungsten and vanadium with a combined content by weight of 7% or more, 0.6% or more of carbon and 3 to 6% of chromium.

(e) Silico Manganese Steel

Alloy steels containing by weight:

- not more than 0.7% of carbon
- 0.5% or more but not more than 1.9% of manganese, and
- 0.6% or more but not more than 2.3% of silicon, but no other element in a proportion that would give the steel the characteristics of another alloy steel.

2. For the classification of Ferro-alloys in the sub-headings of heading 7202 the following rule should be observed:

A Ferro-alloy is considered as binary and classified under the relevant sub-heading (if it exists) if only one of the alloy elements exceeds the minimum percentage laid down in Chapter Note

1(c); by analogy, it is considered respectively as ternary or quaternary if two or three alloy elements exceed the minimum percentage.

For the application of this rule the unspecified "other elements" referred to in Chapter Note 1(c) must each exceed 10% by weight.

TARIFF ITEM	DESCRIPTION OF ARTICLE	UNITS	CUSTOMS DUTY	
			STD.	PREF.
1	2	3	4	5
	I - PRIMARY MATERIALS; PRODUCTS IN GRANULAR OR POWDER FORM			
7201	Pig iron and spiegeleisen in pigs, blocks or other primary forms			
7201 10 00	- Non-alloy pig iron containing by weight 0.5% or less of phosphorus	-	25%	-
7201 20 00	- Non-alloy pig iron containing by weight more than 0.5% of phosphorus	-	25%	-
7201 50	- Alloy pig iron; spiegeleisen:			
7201 50 10	--- Cast iron	-	25%	-
7201 50 90	--- Other	-	25%	-
7202	Ferro alloys			
	- Ferro-manganese:			
7202 11 00	-- Containing by weight more than 2% of carbon	-	25%	-

7202 19 00	-- Other	-	25%	-
	- <i>Ferro-silicon:</i>			
7202 21 00	-- Containing by weight more than 55% of silicon	-	25%	-
7202 29 00	-- Other	-	25%	-
7202 30 00	- Ferro-silico-manganese	-	25%	-
	- <i>Ferro-chromium:</i>			
7202 41 00	-- Containing by weight more than 4% of carbon	-	25%	-
7202 49 00	-- Other	-	25%	-
7202 50 00	- Ferro-silico-chromium	-	25%	-
7202 60 00	- Ferro-nickel	-	25%	-
7202 70 00	- Ferro-molybdenum	-	25%	-
7202 80 00	- Ferro tungsten and ferro-silico-tungsten	-	25%	-
	- <i>Other:</i>			
7202 91 00	-- Ferro-titanium and Ferro-silico-titanium	-	25%	-
7202 92 00	-- Ferro-vanadium	-	25%	-
7202 93 00	-- Ferro-niobium	-	25%	-
	-- <i>Other:</i>			
	--- <i>Ferro-phosphorus, Ferro-selenium, Ferro-cobalt, Ferro-columbium, Ferro-zirconium, Ferro-tantalum:</i>			
7202 99 11	---- Ferro-selenium	-	25%	-
7202 99 12	---- Ferro-cobalt	-	25%	-
7202 99 13	---- Ferro-columbium	-	25%	-
7202 99 14	---- Ferro-zirconium	-	25%	-
7202 99 15	---- Ferro-tantalum	-	25%	-
	--- <i>Ferro-silico-zirconium, Ferro-silico-magnesium:</i>			
7202 99 21	---- Ferro-silico-zirconium	-	25%	-
7202 99 22	---- Ferro-silico-magnesium,	-	25%	-
	--- <i>Ferro-boron, Charge-chrome:</i>			
7202 99 31	---- Ferro-boron	-	25%	-

7202 99 32	----	Charge-chrome	-	25%	-
7202 99 33	----	Ferro-Phosphorus	-	25%	-
7202 99 90	---	Other	-	25%	-
7203		Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having minimum purity by weight of 99.94%, in lumps, pellets or similar forms			
7203 10 00	-	Ferrous products obtained by direct reduction Of iron ore	-	40%	-
7203 90 00	-	Other	-	40%	-
7204		Ferrous waste and scrap; remelting scrap ingots of iron or steel			
7204 10 00	-	Waste and scrap of cast iron	-	40%	-
		<i>Waste and scrap of alloy steel:</i>			
7204 21	--	<i>Of stainless steel:</i>			
7204 21 10	---	Empty or discharged cartridges of all bores and sizes	-	40%	-
7204 21 90	---	Other	-	40%	-
7204 29	--	Other:			
7204 29 10	---	Empty or discharged cartridges of all bores and sizes	-	40%	-
7204 29 20	---	Of High speed steel	-	40%	-
7204 29 90	---	Other	-	40%	-
7204 30 00	-	Waste and scrap of tinned iron or steel	-	40%	-
	-	<i>Other waste and scrap:</i>			

7204 41 00	-- Turnings, shavings, chips, milling waste, saw dust, fillings, trimmings and stampings, whether or not in bundles	-	40%	-
7204 49 00	-- Other	-	40%	-
7204 50 00	- Remelting scrap ingots	-	40%	-
	Granules and powders, of pig iron, spiegeleisen, iron or steel			
	- Granules:			
	-- Of iron:			
7205 10 11	---- Shot and angular grit	-	40%	-
7205 10 12	---- Wire pellets	-	40%	-
7205 10 19	---- Other	-	40%	-
	-- Of alloy steel:			
7205 10 21	---- Shot and angular grit	-	40%	-
7205 10 22	---- Wire pellets	-	40%	-
7205 10 29	---- Other	-	40%	-
7205 10 90	--- Other:	-	40%	-
	- Powders:			
7205 21 00	-- Of alloy steel	-	40%	-
7205 29	-- Other:			
7205 29 10	--- Of iron	-	40%	-
7205 29 90	--- Other	-	40%	-
	II. IRON AND NON-ALLOY STEEL			
7206	Iron and non-alloy steel in ingots other primary forms (excluding iron of heading 7203)			
7206 10	- Ingots:			
7206 10 10	--- Of iron	-	40%	-
7206 10 20	--- Of high carbon steel	-	40%	-
7206 10 90	--- Other	-	40%	-

7206 90	- Other:			
7206 90 10	--- Puddled bars and pilings	-	40%	-
7206 90 20	--- Blocks, lumps and similar forms	-	40%	-
7206 90 90	--- Other	-	40%	-
7207	Semi-finished products of iron or non-alloy steel			
	- <i>Containing by weight less than 0.25% of carbon:</i>			
7207 11	-- <i>Of rectangular (including square) cross-section, the width measuring less than twice the thickness:</i>			
7207 11 10	--- Electrical quality	-	40%	-
7207 11 20	--- Forging quality	-	40%	-
7207 11 30	--- Seamless steel tube quality	-	40%	-
7207 11 90	--- Other	-	40%	-
7207 12	-- <i>Other, of rectangular (other than square) cross-section:</i>			
7207 12 10	--- Electrical quality	-	40%	-
7207 12 20	--- Forging quality	-	40%	-
7207 12 30	--- Seamless steel tube quality	-	40%	-
7207 12 90	--- Other	-	40%	-
7207 19	-- <i>Other:</i>			
7207 19 10	--- Forged blanks of non-alloy steel	-	40%	-
7207 19 20	--- Mild steel (MS) billets	-	40%	-
7207 19 90	--- Other	-	40%	-
7207 20	- <i>Containing by weight 0.25% or more of carbon:</i>			
7207 20 10	--- Forging quality	-	40%	-
7207 20 20	--- Spring steel quality	-	40%	-
7207 20 30	--- Seamless steel tube quality	-	40%	-
7207 20 90	--- Other	-	40%	-
	Flat-rolled products of			

	iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated			
7208 10 00	- In coils, not further worked than hot-rolled, with patterns in relief	-	40%	-
	- <i>Other, in coils, not further worked than hot- rolled, pickled:</i>			
7208 25	-- <i>Of a thickness of 4.75 mm or more:</i>			
7208 25 10	--- Plates	-	40%	-
7208 25 20	--- Universal plates	-	40%	-
7208 25 30	--- Sheets	-	40%	-
7208 25 40	--- Strip	-	40%	-
7208 25 90	--- Other	-	40%	-
7208 26	-- <i>Of a thickness of 3 mm or more but less than 4.75 mm:</i>			
7208 26 10	--- Plates	-	40%	-
7208 26 20	--- Universal plates	-	40%	-
7208 26 30	--- Sheets	-	40%	-
7208 26 40	--- Strip	-	40%	-
7208 26 90	--- Other	-	40%	-
7208 27	-- <i>Of a thickness of less than 3 mm:</i>			
7208 27 10	--- Plates	-	40%	-
7208 27 20	--- Universal plates	-	40%	-
7208 27 30	--- Sheets	-	40%	-
7208 27 40	--- Strip	-	40%	-
7208 27 90	--- Other	-	40%	-
	- <i>Other, in coils, not further worked than hot- rolled:</i>			
7208 36	-- <i>Of a thickness exceeding 10 mm:</i>			
7208 36 10	--- Plates	-	40%	-
7208 36 20	--- Universal plates	-	40%	-

7208 36 30	---	Sheets	-	40%	-
7208 36 40	---	Strip	-	40%	-
7208 36 90	---	Other	-	40%	-
7208 37	--	<i>Of a thickness of 4.75 mm or more but not exceeding 10 mm:</i>			
7208 37 10	---	Plates	-	40%	-
7208 37 20	---	Universal plates	-	40%	-
7208 37 30	---	Sheets	-	40%	-
7208 37 40	---	Strip	-	40%	-
7208 37 90	---	Other	-	40%	-
7208 38	--	<i>Of a thickness of 3 mm or more but less than 4.75 mm:</i>			
7208 38 10	---	Plates	-	40%	-
7208 38 20	---	Universal plates	-	40%	-
7208 38 30	---	Sheets	-	40%	-
7208 38 40	---	Strip	-	40%	-
7208 38 90	---	Other	-	40%	-
7208 39	--	<i>Of a thickness of less than 3 mm:</i>			
7208 39 10	---	Plates	-	40%	-
7208 39 20	---	Universal plates	-	40%	-
7208 39 30	---	Sheets	-	40%	-
7208 39 40	---	Strip	-	40%	-
7208 39 90	---	Other	-	40%	-
7208 40	-	<i>Not in coils, not further worked than hot-rolled, with patterns in relief:</i>			
7208 40 10	---	Plates	-	40%	-
7208 40 20	---	Universal plates	-	40%	-
7208 40 30	---	Sheets	-	40%	-
7208 40 40	---	Strip	-	40%	-
7208 40 90	---	Other	-	40%	-
	-	<i>Other, not in coils, not further worked than hot-rolled:</i>			

7208 51	--	<i>Of a thickness exceeding 10 mm:</i>			
7208 51 10	---	Plates	-	40%	-
7208 51 20	---	Universal plates	-	40%	-
7208 51 30	---	Sheets	-	40%	-
7208 51 40	---	Strip	-	40%	-
7208 51 90	---	Other	-	40%	-
7208 52	--	<i>Of a thickness of 4.75 mm or more but not exceeding 10 mm:</i>			
7208 52 10	---	Plates	-	40%	-
7208 52 20	---	Universal plates	-	40%	-
7208 52 30	---	Sheets	-	40%	-
7208 52 40	---	Strip	-	40%	-
7208 52 90	---	Other	-	40%	-
7208 53	--	<i>Of a thickness of 3 mm or more but less than 4.75 mm:</i>			
7208 53 10	---	Plates	-	40%	-
7208 53 20	---	Universal plates	-	40%	-
7208 53 30	---	Sheets	-	40%	-
7208 53 40	---	Strip	-	40%	-
7208 53 90	---	Other	-	40%	-
7208 54	--	<i>Of a thickness of less than 3 mm:</i>			
7208 54 10	---	Plates	-	40%	-
7208 54 20	---	Universal plates	-	40%	-
7208 54 30	---	Sheets	-	40%	-
7208 54 40	---	Strip	-	40%	-
7208 54 90	---	Other	-	40%	-
7208 90 00	-	Other	-	40%	-
7209		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated			

	-	<i>In coils, not further worked than cold-rolled (cold-reduced):</i>			
7209 15	--	<i>Of a thickness of 3 mm or more:</i>			
7209 15 10	---	Plates	-	40%	-
7209 15 20	---	Sheets	-	40%	-
7209 15 30	---	Strip	-	40%	-
7209 15 90	---	Other	-	40%	-
7209 16	--	<i>Of a thickness exceeding 1 mm but less than 3 mm:</i>			
7209 16 10	---	Plates	-	40%	-
7209 16 20	---	Sheets	-	40%	-
7209 16 30	---	Strip	-	40%	-
7209 16 90	---	Other	-	40%	-
7209 17	--	<i>Of a thickness of 0.5 mm or more but not exceeding 1 mm:</i>			
7209 17 10	---	Plates	-	40%	-
7209 17 20	---	Sheets	-	40%	-
7209 17 30	---	Strip	-	40%	-
7209 17 90	---	Other	-	40%	-
7209 18	--	<i>Of a thickness of less than 0.5 mm:</i>			
7209 18 10	---	Plates	-	40%	-
7209 18 20	---	Sheets	-	40%	-
7209 18 30	---	Strip	-	40%	-
7209 18 90	---	Other	-	40%	-
	-	<i>Not in coils, not further worked than cold-rolled (cold-reduced):</i>			
7209 25	--	<i>Of a thickness 3 mm or more:</i>			
7209 25 10	---	Plates	-	40%	-
7209 25 20	---	Sheets	-	40%	-
7209 25 30	---	Strip	-	40%	-
7209 25 90	---	Other	-	40%	-

7209 26	--	<i>Of a thickness exceeding 1 mm but less than 3 mm:</i>			
7209 26 10	---	Plates	-	40%	-
7209 26 20	---	Sheets	-	40%	-
7209 26 30	---	Strip	-	40%	-
7209 26 90	---	Other	-	40%	-
7209 27	--	Of a thickness of 0.5 mm or more but not exceeding 1 mm			
7209 27 10	---	Plates	-	40%	-
7209 27 20	---	Sheets	-	40%	-
7209 27 30	---	Strip	-	40%	-
7209 27 90	---	Other	-	40%	-
7209 28	--	<i>Of a thickness of less than 0.5 mm:</i>			
7209 28 10	---	Plates	-	40%	-
7209 28 20	---	Sheets	-	40%	-
7209 28 30	---	Strip	-	40%	-
7209 28 90	---	Other	-	40%	-
7209 90 00	-	Other:	-	40%	-
7210		Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated			
	-	<i>Plated or coated with tin:</i>			
7210 11	--	<i>Of a thickness of 0.5 mm or more:</i>			
7210 11 11	----	OTS/MR Type	-	40%	-
7210 11 19	----	Other	-	40%	-
7210 12	--	<i>Of a thickness of less than 0.5 mm:</i>			
7210 12 11	----	OTS/MR Type	-	40%	-
7210 12 19	----	Other	-	40%	-
7210 20 00	-	Plated or coated with lead, including terne-plate	-	40%	-
	-	<i>Electrolytically plated or</i>			

		<i>coated with zinc:</i>			
7210 30 10	---	Corrugated	-	40%	-
7210 30 90	---	Other	-	40%	-
		- <i>Otherwise plated or coated with zinc:</i>			
7210 41 00	--	Corrugated	-	40%	-
7210 49 00	--	Other	-	40%	-
7210 50 00	-	Plated or coated with chromium oxides or with chromium and chromium oxides	-	40%	-
		- <i>Plated or coated with aluminium:</i>			
7210 61 00	--	Plated or coated with aluminium-zinc alloys	-	40%	-
7210 69 00	--	Other	-	40%	-
7210 70 00	-	Painted, varnished or coated with plastics	-	40%	-
7210 90	-	<i>Other:</i>			
7210 90 10	---	Lacquered	-	40%	-
7210 90 90	---	Other	-	40%	-
7211		Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated			
		- <i>Not further worked than hot-rolled:</i>			
7211 13 00	--	Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief	-	40%	-
7211 14	--	<i>Other, of a thickness of 4.75 mm or more:</i>			
7211 14 10	---	Flats	-	40%	-
7211 14 20	---	Universal plates	-	40%	-

7211 14 30	---	Hoops	-	40%	-
7211 14 40	---	Sheets	-	40%	-
7211 14 50	---	Strip	-	40%	-
7211 14 60	---	Skelp	-	40%	-
7211 14 90	---	Other	-	40%	-
7211 19	--	<i>Other:</i>			
7211 19 10	---	Flats	-	40%	-
7211 19 20	---	Universal plates	-	40%	-
7211 19 30	---	Hoops	-	40%	-
7211 19 40	---	Sheets	-	40%	-
7211 19 50	---	Strip	-	40%	-
7211 19 60	---	Skelp	-	40%	-
7211 19 90	---	Other	-	40%	-
		- <i>Not further worked than cold-rolled (cold-reduced):</i>			
7211 23	--	<i>Containing by weight less than 0.25% of carbon:</i>			
7211 23 10	---	Flats	-	40%	-
7211 23 20	---	Universal plates	-	40%	-
7211 23 30	---	Hoops	-	40%	-
7211 23 40	---	Sheets	-	40%	-
7211 23 50	---	Strip	-	40%	-
7211 23 60	---	Skelp	-	40%	-
7211 23 90	---	Other	-	40%	-
7211 29	--	<i>Other:</i>			
7211 29 10	---	Flats	-	40%	-
7211 29 20	---	Universal plates	-	40%	-
7211 29 30	---	Hoops	-	40%	-
7211 29 40	---	Sheets	-	40%	-
7211 29 50	---	Strip	-	40%	-
7211 29 60	---	Skelp	-	40%	-
7211 29 90	---	Other	-	40%	-
7211 90	-	<i>Other:</i>			

	--	<i>Universal plates:</i>			
7211 90 11	----	Of boiler quality	-	40%	-
7211 90 12	----	Of high tensile quality	-	40%	-
7211 90 13	----	Of ship building quality	-	40%	-
7211 90 90	---	Other	-	40%	-
7212		<i>Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated</i>			
7212 10	-	<i>Plated or coated with tin:</i>			
7212 10 10	---	OTS/MR Type	-	40%	-
7212 10 90	---	Other	-	40%	-
7212 20	-	<i>Electrlytically plated or coated with zinc</i>			
7212 20 10	---	Corrugated	-	40%	-
7212 20 90	---	Other	-	40%	-
7212 30	-	<i>Otherwise plated or coated with zinc:</i>			
7212 30 10	---	Corrugated	-	40%	-
7212 30 90	---	Other	-	40%	-
7212 40 00	-	<i>Painted, varnished or coated with plastic</i>	-	40%	-
7212 50	-	<i>Otherwise plated or coated:</i>			
7212 50 10	---	Plated or coated with lead	-	40%	-
7212 50 20	---	Lacquered	-	40%	-
7212 50 90	---	Other	-	40%	-
7212 60 00	-	Clad	-	40%	-
7213		<i>Bars and Rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel</i>			
7213 10	-	<i>Containing indentations, ribs, grooves or other deformations produced during the rolling process:</i>			
7213 10 10	---	Of free cutting steel	-	40%	-

7213 10 90	---	Other	-	40%	-
7213 20	-	<i>Other, of free-cutting steel:</i>			
7213 20 10	---	Electrode quality	-	40%	-
7213 20 20	---	Cold heading quality	-	40%	-
7213 20 90	- ---	Other	-	40%	-
	-	<i>Other:</i>			
7213 91	--	<i>Of circular cross-section measuring less than 14 mm in diameter:</i>			
7213 91 10	---	Electrode quality	-	40%	-
7213 91 20	---	Cold heading quality	-	40%	-
7213 91 90	---	other	-	40%	-
7213 99	--	<i>Other:</i>			
7213 99 10	---	Electrode quality	-	40%	-
7213 99 20	---	Cold heading quality	-	40%	-
7213 99 90	---	Other	-	40%	-
7214		Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling			
7214 10	-	Forged:			
7214 10 10	---	Spring steel quality	-	40%	-
7214 10 90	---	Other	-	40%	-
7214 20	-	<i>Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling:</i>			
7214 20 10	---	Spring steel quality	-	40%	-
7214 20 90	---	Other	-	40%	-
7214 30 00	-	Other, of free cutting steel	-	40%	-
	-	<i>Other:</i>			

7214 91	--	<i>Of rectangular (other than square) cross-section:</i>			
7214 91 10	---	Mild steel bright bar	-	40%	-
7214 91 90	---	Other	-	40%	-
7214 99	--	<i>Other:</i>			
7214 20 10	---	Of free cutting steel	-	40%	-
7214 99 20	---	Of spring steel quality	-	40%	-
7214 99 90	---	Other	-	40%	-
7215		Other bars and Rods of iron or non-alloy steel			
7215 10 00	-	Of free-cutting steel, not further worked than cold-formed or cold-finished	-	40%	-
7215 50	-	<i>Other, not further worked than cold-formed or cold-finished:</i>			
7215 50 10	---	Mild steel bright bar	-	40%	-
7215 50 90	---	Other	-	40%	-
7215 90	-	<i>Other:</i>			
7215 90 10	---	Plated or coated with zinc	-	40%	-
7215 90 20	---	Plated or coated with other base metals	-	40%	-
7215 90 30	---	Hollow mining drill steels	-	40%	-
7215 90 90	---	Other	-	40%	-
7216		Angles, shapes and sections of iron or non-alloy steel			
7216 10 00	-	U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded of a height of less than 80 mm:	-	40%	-
	-	<i>L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm:</i>			

7216 21 00	-- L sections	-	40%	-
7216 22 00	-- T sections	-	40%	-
	- <i>U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded of a height of 80 mm or more:</i>			
7216 31 00	-- U sections	-	40%	-
7216 32 00	-- I sections	-	40%	-
7216 33 00	-- H sections	-	40%	-
7216 40 00	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more	-	40%	-
7216 50 00	- Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded	-	40%	-
	- <i>Angles, shapes and sections, not further worked than cold-formed or cold-finished:</i>			
7216 61 00	-- Obtained from flat-rolled products	-	40%	-
7216 69 00	-- Other	-	40%	-
	- <i>Other:</i>			
7216 91 00	-- Cold-formed or cold-finished from flat rolled products	-	40%	-
7216 99	-- <i>Other:</i>			
7216 99 10	--- Plated or coated with zinc	-	40%	-
7216 99 20	--- Plated or coated with base metals other than zinc	-	40%	-
7216 99 30	--- Slotted angles and slotted channels	-	40%	-
7216 99 40	--- Forged	-	40%	-
7216 99 90	--- Other	-	40%	-

7217	Wire of iron or non-alloy steel			
	- Not plated or coated, whether or not polished:			
7217 10 10	--- Of a thickness of 18 SWA and below	-	40%	-
7217 10 20	--- Of a thickness above 18 SWA but upto 26 SWA	-	40%	-
7217 10 30	--- Of a thickness above 26 SWA	-	40%	-
7217 20	- <i>Plated or coated with zinc:</i>			
7217 20 10	--- Of a thickness of 18 SWA and below	-	40%	-
7217 20 20	--- Of a thickness above 18 SWA but upto 26 SWA	-	40%	-
7217 20 30	--- Of a thickness above 26 SWA	-	40%	-
7217 30	- <i>Plated or coated with other base metals:</i>			
7217 30 10	--- Of a thickness of 18 SWA and below	-	40%	-
7217 30 20	--- Of a thickness above 18 SWA but upto 26 SWA	-	40%	-
7217 30 30	--- Of a thickness above 26 SWA	-	40%	-
7217 90	- <i>Other:</i>			
	-- <i>Shaped and profiled wire:</i>			
7217 90 11	---- of cross section - half round	-	40%	-
7217 90 12	---- of cross section - flat and rectangular	-	40%	-
7217 90 13	---- of cross section - 'z' shaped	-	40%	-
7217 90 19	---- of cross section - other shapes	-	40%	-
	-- <i>Other:</i>			
7217 90 21	---- High tensile quality	-	40%	-
7217 90 22	---- Electrode quality	-	40%	-
7217 90 90	--- Other	-	40%	-
	III - STAINLESS STEEL			

7218	Stainless steel in ingots or other primary forms; semi-finished products of stainless steel			
7218 10 10	--- Ingots and other primary forms - <i>Other:</i>	-	40%	-
7218 91 00	-- Of rectangular (other than square) cross-section 7218 99 -- <i>Other:</i>	-	40%	-
7218 99 10	--- Billets	-	40%	-
7218 99 90	--- Other	-	40%	-
7219	Flat-rolled products of stainless steel, of a width of 600 mm or more - <i>Not further worked than hot-rolled, in coils:</i>			
7219 11	-- <i>Of a thickness exceeding 10 mm:</i> --- <i>Chromium type:</i>			
7219 11 11	---- 14 mm and above	-	40%	-
7219 11 19	---- 10 mm to 14 mm	-	40%	-
7219 11 90	--- Other	-	40%	-
7219 12 00	-- Of a thickness of 4.75 mm or more but not exceeding 10 mm	-	40%	-
7219 13 00	-- Of a thickness of 3 mm or more but less than 4.75 mm	-	40%	-
7219 14 00	-- Of a thickness of less than 3 mm - <i>Not further worked than hot-rolled, not in coils:</i>	-	40%	-
7219 21	-- <i>Of a thickness exceeding 10 mm:</i> --- <i>Universal plates of stainless steel/heat resisting steel and chromium type</i>			
7219 21 11	---- 14 mm and above	-	40%	-

7219 21 12	-----	Below 14 mm but exceeding 10 mm	-	40%	-
	---	<i>Universal plates of stainless steel/heat resisting steel, nickel chromium austenitic type</i>			
7219 21 21	-----	14 mm and above	-	40%	-
7219 21 22	-----	Below 14 mm but exceeding 10 mm	-	40%	-
	---	<i>Other Chromium type:</i>			
7219 21 31	-----	14 mm and above	-	40%	-
7219 21 32	-----	Below 14 mm but exceeding 10 mm	-	40%	-
	---	<i>Other Nickel chromium austenitic type:</i>			
7219 21 41	-----	14 mm and above	-	40%	-
7219 21 42	-----	Below 14 mm but exceeding 10 mm	-	40%	-
7219 22	--	<i>Of a thickness of 4.75 mm or more but not exceeding 10 mm:</i>			
7219 22 10	---	Chromium type	-	40%	-
7219 22 20	---	Nickel chromium austenitic type	-	40%	-
	---	<i>Universal plates of stainless steel/heat resisting steel:</i>			
7219 22 31	-----	Chromium type	-	40%	-
7219 22 32	-----	Nickel chromium austenitic type	-	40%	-
7219 23	--	<i>Of a thickness of 3 mm or more but less than 4.75 mm:</i>			
7219 23 10	---	Chromium type	-	40%	-
7219 23 20	---	Nickel chromium austenitic type	-	40%	-
7219 24	--	<i>Of a thickness of less than 3 mm:</i>			
	---	<i>Chromium type:</i>			
7219 24 11	-----	0.9 mm and above (21 BG and thicker) but below 3 mm	-	40%	-

7219 24 12	-----	0.35 mm and above, but less than 0.9 mm(29BG to 22 BG)	-	40%	-
7219 24 13	-----	Below 1.26 mm upto 0.9 mm (below 18 BG upto 21 BG)	-	40%	-
7219 24 14	-----	Below 0.56 mm (below 25 BG)	-	40%	-
	---	<i>Nickel chromium austenitic type:</i>			
7219 24 21	-----	0.9 mm and above (21 BG and thicker) but below 3 mm	-	40%	-
7219 24 22	-----	0.35 mm and above, but less than 0.9 mm(29BG to 22 BG)	-	40%	-
7219 24 23	-----	Below 1.26 mm upto 0.9 mm (below 18 BG upto 21 BG)	-	40%	-
7219 24 24	-----	Below 0.56 mm (below 25 BG)	-	40%	-
	-	<i>Not further worked than cold-rolled (cold reduced):</i>			
7219 31	--	<i>Of a thickness of 4.75 mm or more:</i>			
	---	<i>Chromium type:</i>			
7219 31 11	-----	Exceeding 14 mm	-	40%	-
7219 31 12	-----	4.75 mm to 14 mm	-	40%	-
	---	<i>Nickel chromium austenitic type:</i>			
7219 31 21	-----	Exceeding 14 mm	-	40%	-
7219 31 22	-----	4.75 mm to 14 mm	-	40%	-
7219 32	--	<i>Of a thickness of 3 mm or more but less than 4.75 mm:</i>			
7219 32 10	---	Chromium type	-	40%	-
7219 32 20	---	Nickel chromium austenitic type	-	40%	-
7219 33	--	<i>Of a thickness exceeding 1 mm but less than 3 mm:</i>			
7219 33 10	---	Chromium type	-	40%	-
7219 33 20	---	Nickel chromium austenitic type	-	40%	-
7219 34	--	<i>Of a thickness of 0.5 mm or more but not exceeding 1 mm:</i>			
7219 34 10	---	Chromium type	-	40%	-
7219 34 20	---	Nickel chromium austenitic	-	40%	-

	type			
7219 35	-- Of a thickness of less than 0.5 mm:			
7219 35 10	--- Chromium type	-	40%	-
7219 35 20	--- Nickel chromium austenitic type	-	40%	-
7219 90	- Other:			
	-- Sheets and plates:			
7219 90 11	---- Thickness more than 4.75 mm, worked	-	40%	-
7219 90 12	---- Thickness 3 mm to 4.75 mm, worked	-	40%	-
7219 90 13	---- Thickness less than 3 mm, worked	-	40%	-
7219 90 20	--- Pattis/patta when subjected to any process other than cold rolling	-	40%	-
7219 90 90	--- Other	-	40%	-
7220	Flat-rolled products of stainless steel, of a width of less than 600 mm			
	- Not further worked than hot-rolled:			
7220 11	-- Of a thickness of 4.75 mm or more:			
7220 11 10	--- Skelp (strips for pipes and tubes)	-	40%	-
	--- Strips for pipes and tubes (other than skelp):			
7220 11 21	---- Chromium type	-	40%	-
7220 11 22	---- Nickel chromium austenitic type	-	40%	-
7220 11 30	--- Pattis/patta when subjected to any process other than cold rolling	-	40%	-
7220 12	-- Of a thickness of less than 4.75 mm:			
7220 12 10	--- Skelp (strips for pipes and tubes)	-	40%	-
	--- Strips for pipes and tubes			

		<i>(other than skelp):</i>			
7220 12 21	----	Chromium type	-	40%	-
7220 12 22	----	Nickel chromium austenitic type	-	40%	-
7220 20	-	<i>Not further worked than cold-rolled (cold reduced):</i>			
	--	<i>Strips for pipes and tubes (other than skelp):</i>			
7220 20 11	----	Chromium type	-	40%	-
7220 20 12	----	Nickel chromium austenitic type	-	40%	-
7220 90	-	<i>Other:</i>			
7220 90 10	---	Skelp (strips for pipes and tubes)	-	40%	-
	--	<i>Strips for pipes and tubes (other than skelp):</i>			
7220 90 21	----	Chromium type	-	40%	-
7220 90 22	----	Nickel chromium austenitic type	-	40%	-
7220 90 30	---	Patta/patta when subjected to any process other than cold rolled	-	40%	-
7220 90 90	---	Other	-	40%	-
7221		Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel			
	-	<i>Bright bars:</i>			
7221 00 11	----	Chromium type	-	40%	-
7221 00 12	----	Nickel chromium austenitic type	-	40%	-
7221 00 90	---	Other	-	40%	-
		Other bars and rods of stainless steel; angles, shapes and sections of stainless steel			
7222	-	Bars and rods, not further worked than hot-rolled, hot-drawn or extruded:			

7222 11	-- Of circular cross section:			
	--- Bright bars:			
7222 11 11	---- Chromium type	-	40%	-
7222 11 12	---- Nickel chromium austenitic type	-	40%	-
	--- Other:			
7222 11 91	---- Chromium type	-	40%	-
7222 11 92	---- Nickel chromium austenitic type	-	40%	-
7222 19	-- Other:			
	--- Bright bars:			
7222 19 11	---- Chromium type	-	40%	-
7222 19 12	---- Nickel chromium austenitic type	-	40%	-
	--- Other:			
7222 19 91	---- Chromium type	-	40%	-
7222 19 92	---- Nickel chromium austenitic type	-	40%	-
7222 20	- Bars and rods, not further worked than cold-formed or cold-finished:			
	-- Bright bars:			
7220 20 11	---- Chromium type	-	40%	-
7222 20 12	---- Nickel chromium austenitic type	-	40%	-
	--- Other:			
7220 20 91	---- Chromium type	-	40%	-
7222 20 92	---- Nickel chromium austenitic type	-	40%	-
7222 30	- Other bars and rods			
	-- Bright bars:			
7222 30 11	---- Chromium type	-	40%	-
7222 30 12	---- Nickel chromium austenitic type	-	40%	-
	--- Other:			
7222 30 91	---- Chromium type	-	40%	-
7222 30 92	---- Nickel chromium austenitic type	-	40%	-

	type			
7222 40	- <i>Angles, shapes and sections:</i>			
7222 40 10	--- Of thickness of 80 mm or above	-	40%	-
7222 40 20	--- Of below 80 mm	-	40%	-
	-- <i>Other:</i>			
7222 40 91	---- Circles used within the factory of production in the manufacture of utensils	-	40%	-
7222 40 99	---- Other	-	40%	-
	Wire of stainless steel			
7223	Wire of stainless steel			
7223 00 10	--- Electrode quality	-	40%	-
	-- <i>Other:</i>			
7223 00 21	---- Of thickness of above 1.5 mm	-	40%	-
7223 00 22	---- Of thickness of 0.46 mm and above but not exceeding 1.5 mm	-	40%	-
7223 00 23	---- Of thickness of below 0.46 mm	-	40%	-
	IV - OTHER ALLOY STEEL; HOLLOW DRILL BARS AND RODS, OF ALLOY OR NON-ALLOY STEEL			
7224	Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel			
7224 10 00	- Ingots and other primary forms	-	40%	-
7224 90	- <i>Other:</i>			
7224 90 10	--- Of tool steel quality	-	40%	-
7224 90 20	--- Of die steel quality	-	40%	-
7224 90 30	--- Of cobalt bearing high speed steel quality	-	40%	-
7224 90 40	--- Forged blanks of alloy	-	40%	-

	steel			
	-- Other			
7224 90 91	---- Billets	-	40%	-
7224 90 99	---- Other	-	40%	-
7225	Flat-rolled products of other alloy steel, of a width of 600 mm or more			
	- Of silicon-electrical steel:			
7225 11 00	-- Grain-oriented	-	40%	-
7225 19 00	-- Other	-	40%	-
7225 20	- Of high speed steel			
	-- Hot-rolled:			
7225 20 11	---- In coils	-	40%	-
7225 20 12	---- Not in coils	-	40%	-
	-- Cold-rolled:			
7225 20 21	---- In coils	-	40%	-
7225 20 22	---- Not in coils	-	40%	-
7225 30	- Other, not further worked than hot-rolled, in coils:			
7225 30 10	--- Of spring steel quality	-	40%	-
7225 30 90	--- Other	-	40%	-
7225 40	- Other, not further worked than hot-rolled, not in coils:			
	-- Of a thickness of above 4.75 mm:			
7225 40 11	---- Boiler quality	-	40%	-
7225 40 12	---- Pressure vessel quality	-	40%	-
7225 40 13	---- High tensile quality	-	40%	-
7225 40 19	---- Other	-	40%	-
7225 40 20	--- Of a thickness of 3 mm and above but not exceeding 4.75 mm	-	40%	-

7225 40 30	---	Of a thickness of below 3 mm	-	40%	-
7225 50	-	<i>Other, not further worked than cold-rolled (cold-reduced):</i>			
7225 50 10	---	Of a thickness of above 4.75 mm	-	40%	-
7225 50 20	---	Of a thickness of 3 mm to 4.75 mm	-	40%	-
7225 50 30	---	Of a thickness of less than 3 mm	-	40%	-
	-	<i>Other:</i>			
7225 91 00	--	Electrolytically plated or coated with zinc	-	40%	-
7225 92 00	--	Otherwise plated or coated with zinc	-	40%	-
7225 99 00	--	Other	-	40%	-
7226		Flat-rolled products of other alloy steel, of a width of less than 600 mm			
	-	<i>Of silicon-electrical steel:</i>			
7226 11 00	--	Grain-oriented	-	40%	-
7226 19 00	--	Other	-	40%	-
7226 20	-	<i>Of high speed steel</i>			
	--	<i>Hot-rolled:</i>			
7226 20 11	----	In coils	-	40%	-
7226 20 12	----	Other	-	40%	-
	--	<i>Cold-rolled:</i>			
7226 20 21	----	In coils	-	40%	-
7226 20 22	----	Other	-	40%	-
7226 20 30	---	Hoops and strips	-	40%	-
	-	<i>Other</i>			
7226 91	--	<i>Not further worked than hot-rolled:</i>			
7226 91 10	---	High tensile quality of a	-	40%	-

	thickness of above 4.75 mm			
7226 91 20	--- Of a thickness of 3 mm and above but not exceeding 4.75 mm	-	40%	-
7226 91 30	--- Of a thickness of below 3 mm	-	40%	-
7226 91 90	--- Other	-	40%	-
7226 92	-- <i>Not further worked than cold-rolled (cold reduced):</i>			
7226 92 10	--- Of a thickness of above 4.75 mm	-	40%	-
7226 92 20	--- Of a thickness of 3 mm and above but not exceeding 4.75 mm	-	40%	-
7226 92 30	--- Of a thickness of above 3 mm	-	40%	-
7226 93 00	-- Electrolytically plated or coated with zinc	-	40%	-
7226 94 00	-- Otherwise plated or coated with zinc	-	40%	-
7226 99	-- <i>Other:</i>			
7226 99 10	--- Of a thickness of above 4.75 mm, worked	-	40%	-
7226 99 20	--- Of a thickness of 3 mm and above but not exceeding 4.75 mm. Worked	-	40%	-
7226 99 30	--- Of a thickness of below 3 mm, worked	-	40%	-
7226 99 40	--- Skelp (strips for pipes and tubes)	-	40%	-
	--- <i>Hoops and strips:</i>			
7226 99 51	---- Of hot rolled	-	40%	-
7226 99 52	---- Of cold rolled	-	40%	-
7226 99 53	---- Of spring steel, other than skelp	-	40%	-
7226 99 60	--- Skelps and strips for razor blades and saw blades	-	40%	-
7226 99 90	--- Other	-	40%	-
7227	Bars and rods, hot-rolled, in irregularly wound coils,			

	of other alloy steel			
7227 10 00	- Of high speed steel	-	40%	-
7227 20 00	- Of silico-manganese steel	-	40%	-
7227 90	- <i>Other:</i>			
7227 90 10	--- Of valve spring steel quality	-	40%	-
7227 90 20	--- Of other spring steel quality	-	40%	-
7227 90 30	--- Of ball bearing quality	-	40%	-
7227 90 40	--- Of cold heading quality	-	40%	-
7227 90 50	--- Of lead-free cutting quality	-	40%	-
7227 90 60	--- Of sulphur free cutting quality	-	40%	-
7227 90 90	--- Other	-	40%	-
7228	Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel			
7228 10	- <i>Bars and rods, of high speed steel:</i>			
7228 10 10	--- Bright bars	-	40%	-
7228 10 90	--- Other	-	40%	-
7228 20 00	- Bars and rods, of silico-manganese steel	-	40%	-
	- <i>Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded</i>			
	-- <i>Bright bars:</i>			
7228 30 11	---- Of alloy tool steel	-	40%	-
7228 30 19	---- Other	-	40%	-
	-- <i>Other:</i>			
7228 30 21	---- Of lead bearing steel	-	40%	-
7228 30 22	--- Of spring steel	-	40%	-

7228 30 23	----	Of sulphur bearing steel	-	40%	-
7228 30 24	----	Of tool and die steel	-	40%	-
7228 30 29	----	Other	-	40%	-
7228 40 00	-	Other bars and rods, not further worked than forged	-	40%	-
7228 50	-	Other bars and rods, not further worked than cold-formed or cold-finished:			
7228 50 10	---	Of engine valves and cold heading steel	-	40%	-
7228 50 90	---	Other	-	40%	-
7228 60	-	Other bars and rods:			
	--	Bright bars:			
7228 60 11	----	Of alloy tool steel	-	40%	-
7228 60 12	----	Other	-	40%	-
	--	Other:			
7228 60 21	----	Of lead bearing steel	-	40%	-
7228 60 22	----	Of spring steel	-	40%	-
7228 60 23	----	Of sulphur bearing steel	-	40%	-
7228 60 24	----	Of tool and die steel	-	40%	-
7228 60 29	----	Other	-	40%	-
7228 70	-	Angles, shapes and sections:			
	--	Not further worked than hot-rolled, hot-drawn or extruded:			
7228 70 11	----	Of 80 mm or more	-	40%	-
7228 70 12	----	Of less than 80 mm	-	40%	-
	--	Not further worked than cold-formed or cold-finished:			
7228 70 21	----	Of 80 mm or more	-	40%	-
7228 70 22	----	Of less than 80 mm	-	40%	-
7228 80	-	Hollow drill bars and rods			
7228 80 10	---	Of alloy steel	-	40%	-
7228 80 20	---	Of non alloy steel, forged	-	40%	-

7228 80 90	---	Other	-	40%	-
7229		Wire of other alloy steel			
7229 10 00	-	Of high speed steel	-	40%	-
7229 20 00	-	Of silico-manganese steel	-	40%	-
7229 90	-	<i>Other:</i>			
	---	<i>Tinned wire, Bronze coated wire, Trapezoidal wire, Half round wire, Crimped wire and Copper coated wire Nor insulated :</i>			
7229 90 11	----	Tinned wire	-	40%	-
7229 90 12	----	Bronze coated wire	-	40%	-
7229 90 13	----	Trapezoidal wire	-	40%	-
7229 90 14	----	Half round wire	-	40%	-
7229 90 15	----	Crimped wire	-	40%	-
7229 90 16	----	Copper coated wire	-	40%	-
	---	<i>Electrode quality, Wire rope quality and ACSR quality:</i>			
7229 90 21	----	Electrode quality	-	40%	-
7229 90 22	----	Wire rope quality	-	40%	-
7229 90 23	----	ACSR quality of not insulated me	-	40%	-
	---	<i>Wire (excluding wire type lead), Spring, High tensile, Hardened and tempered wires not insulated:</i>			
7229 90 31	----	Wire (excluding wire type lead)	-	40%	-
7229 90 32	----	Spring wire	-	40%	-
7229 90 33	----	High tensile wire	-	40%	-
7229 90 34	----	Hardened and tempered wire	-	40%	-
7229 90 40	---	Other wires, not insulated	-	40%	-
	--	<i>Insulated wires:</i>			
7229 90 51	----	High tensile quality	-	40%	-

7229 90 52	----	Electrode quality	-	40%	-
7229 90 53	----	Galvanized	-	40%	-
7229 90 54	----	Copper/bronze coated	-	40%	-
7229 90 59	----	Other insulated wires	-	40%	-
	--	<i>Shaped and profiled wires of cross-section:</i>			
7229 90 61	----	half round	-	40%	-
7229 90 62	----	flat and rectangular	-	40%	-
7229 90 63	----	'L' shape	-	40%	-
7229 90 64	----	'Z' shape	-	40%	-
7229 90 69	----	Other	-	40%	-
7229 90 70	---	Electric resistance wire (including electric resistance heating wire)	-	40%	-
7229 90 80	---	Crimped wire	-	40%	-
7229 90 90	---	Other	-	40%	-